

May 2017

RETAIL PRICING



Made in the USA

NORDOST
MAKING THE CONNECTION

INDEX

Odin 2	page 3
Power cords	page 9
Power products	page 13
Interconnects	page 19
iKable	page 24
Headphone Cable	page 25
Ethernet/HDMI/4K/USB	page 30
Digital cables	page 35
Tonearm cables	page 39
Speaker cables	page 41
Sort Systems, accessories, bulk cables, etc ...	page 48

Ordering Information

Email:	Sales@Nordost.com	Nordost Corporation
Phone:	508-893-0100	93 Bartzak Drive
Fax:	508-893-0115	Holliston, MA 01746



Made in the USA

NORDOST
MAKING THE CONNECTION

HOW TO MAKE A MODEL NUMBER

A: Cable Model Codes

WL	= White Lightning (SG only)
PF	= Purple Flare (SG only)
LSBH	= Leif Series Blue Heaven (SG only)
LSRD	= Leif Series Red Dawn (SG only)
BSLSW	= BassLine Shielded Sub-Woofer
2FR	= Frey 2 (SG only)
2HE	= Heimdall 2 (SG only)
2TY	= Tyr 2 (SG only)
2OD	= ODIN 2
2ODPWR	= ODIN 2 Power
2ODD	= ODIN 2 Digital
OD	= ODIN
ODPWR	= ODIN Power
iK2HE	= Heimdall 2 iKable
2VH	= Valhalla 2
2VHD	= Valhalla 2 Digital
2VHPWR	= Valhalla 2 Power
HEPWR	= Heimdall Power
FRPWR	= Frey Power
BHPWR	= Blue Heaven Power
PPWR	= Purple Flare Power
BHUSB	= Blue Heaven USB 2.0
BHHDMI	= Blue Heaven HDMI

B: Cable Length

0.6M	= 2 ft.
1M	= 3.3 ft.
1.5M	= 5 ft.
2M	= 6.6 ft.
2.5M	= 8 ft.
3M	= 10 ft.
3.5M	= 11.5 ft.
4M	= 13.3 ft.
5M	= 15 ft.
5.5M	= 18 ft.
6M	= 20 ft.

C: Connectors

B	= Banana Z-plugs (BFA)
BNC	= BNC
R	= RCA
S	= Spade
AA	= A to A (USB)
AB	= A to B (USB)
XLR	= XLR (Balanced)
TA/90	= Right Angle Tone Arm DIN (see chart to right)
TA	= Straight Tone Arm DIN
TAR	= RCA to RCA Tone arm
3.5	= 3.5 mini stereo plug
DIN	= 5 pin DIN connector

D: Power Cord Configuration

US	= United States
UK	= United Kingdom
EUR	= Europe
AUS	= Australia

E: Power Cord Amp Selection

15	= 15 Amp (Default)
20	= 20 Amp

F: Speaker Cable Configuration

SG	= Shotgun - 2 connections at Amp & 2 connections at Speaker
BW	= Biwire - 2 connections at Amp & 4 connections at Speaker
BA	= BiAmp - 4 connections at Amp & 4 connections at speaker

Pin Orientation of 90° (Right Angle) Tonearm Connectors

VIEW FACING CONTACTS (MATING VIEW)

90A Horizontal Configuration



90B Vertical Configuration



90C 180° Horizontal Configuration



90D Vertical Configuration



Examples

Speaker Cables

2TY4MSB/SG:	4 meter pair of Tyr 2 Speaker Cables with 2 spades on the amp end and 2 bananas on the speaker end of each cable.
-------------	---

Interconnects

LSBH1MR:	1 meter pair of Blue Heaven Analog Interconnects with RCA connections at both ends.
----------	---

Power Cord

HEPWR2M/US-15:	2 meter Heimdall power cord, 15 Amp, configured for the United States.
----------------	--

Notes:

All speaker cables and analog interconnects are sold in pairs. To order a single cable, please use .5 for the quantity.

If you would like the same connectors on both ends, only one connector code is necessary. If you require one type of connector at the Amp/Source end and a different connector at the Speaker/Receiving end, list BOTH connector codes in the order of AMP/SOURCE to SPEAKER/RECEIVING.

INTRODUCING

OÐIN 2

SUPREME REFERENCE




Made in the USA

Odin 2 Power Cord

Supreme Reference



Model	Length	Retail
*2ODPWR1.25M	1.25m	\$16,999.99
*2ODPWR2.5M	2.5m	\$21,999.99
*2ODPWR5M	5m	\$31,999.99



Available in **20 amp** (US) / **16 amp** (EU, UK, AUS)

Odin 2 Analog Interconnect

Supreme Reference



Model	Length	Retail
*2OD0.6MR	0.6m	\$19,999.99
*2OD1MR	1m	\$22,499.99
*2OD1.5MR	1.5m	\$24,999.99
*2OD2MR	2m	\$27,499.99
*2OD2.5MR	2.5m	\$29,999.99
*2OD3MR	3m	\$32,499.99
*2OD3.5MR	3.5m	\$34,999.99
*2OD4MR	4m	\$37,499.99
*2OD4.5MR	4.5m	\$39,999.99
*2OD5MR	5m	\$42,499.99
*2OD5.5MR	5.5m	\$44,999.99
*2OD6MR	6m	\$47,499.99
*2OD6.5MR	6.5m	\$49,999.99
*2OD7MR	7m	\$52,499.99

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC design
- 7 x 14 AWG silver-plated 99.999999% OFC solid core conductors
- 0.014 μ H/ft Inductance
- 1.33 Ohms per 1000ft DC Resistance
- 20 Amp Cable Power Rating
- 100% Individually shielded total coverage
- Velocity of Propagation: 88% Speed of Light
- Odin 2 HOLO:PLUG[®] gold-plated US (Nema), EU (Schuko), AUS or UK to Odin 2 HOLO:PLUG[®] IEC-C15 or IEC-C19 termination

- < Add \$400.00 retail for UK or AUS HOLO:PLUG[®]
- Add \$400.00 retail for Low Profile HOLO:PLUG[®] IEC-C15
- Add \$400.00 retail for HOLO:PLUG[®] 20 amp (IEC-C19)
- Add \$400.00 retail for HOLO:PLUG[®] J type wall plug
- Add \$4,999.99 retail per additional 1.25 meter

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay, length and Dual Mono-Filament construction, TSC design
- 10 x 23 AWG silver-plated 99.999999% solid core OFC conductors
- 18.5pF/ft Capacitance
- 0.05 μ H/ft Inductance
- 100% Individually shielded total coverage
- Velocity of Propagation: 90% Speed of Light
- HOLO:PLUG[®] gold-plated RCA or HOLO:PLUG[®] gold-plated XLR termination (note: retermination unavailable)

Add \$2,499.99 retail per additional ½ meter pair

Odin 2 Digital Cable 75 Ohm

Supreme Reference



Model	Length	Retail
*2ODD1.25MBNC	1.25m	\$10,999.99
*2ODD2.5MBNC	2.5m	\$13,999.99
*2ODD5MBNC	5m	\$19,999.99

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC and Co-axial design
- 1 x 14 AWG Silver-plated 99.999999% solid core OFC conductor
- 15.3pF/ft Capacitance
- 75 Ohm Impedance
- 100% Total shield coverage
- Velocity of Propagation: 90% Speed of Light
- 75 Ohm S/PDIF digital cable terminated with HOLO:PLUG® gold-plated BNCs. Gold-plated BNC to RCA adaptors included

Add \$2,999.99 retail per additional 1.25 meter

Odin 2 Digital Cable 110 Ohm

Supreme Reference



Model	Length	Retail
*2ODD1.25MXLR	1.25m	\$10,999.99
*2ODD2.5MXLR	2.5m	\$13,999.99
*2ODD5MXLR	5m	\$19,999.99

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC and Twin-axial design
- 2 x 18 AWG Silver-plated 99.999999% solid core OFC conductors
- 10.5pF/ft Capacitance
- 110 Ohm Impedance
- 100% Total shield coverage
- Velocity of Propagation: 90% Speed of Light
- 110 Ohm AES/EBU digital cable terminated with HOLO:PLUG® gold-plated XLRs

Add \$2,999.99 retail per additional 1.25 meter

Odin 2 Tonearm Cable

Supreme Reference



Model	Length	Retail
*2OD1.25MTA	1.25m	\$11,999.99
*2OD2MTA	2m	\$14,999.99
*2OD3MTA	3m	\$18,999.99

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay, length and Dual Mono-Filament construction, TSC design
- 4 x 23 AWG silver-plated 99.999999% solid core OFC conductors
- Secondary 22 AWG silver-plated ground wire with spade on din end
- 9.75pF/ft (RCA) or 23.5pF/ft (XLR) Capacitance
- 0.11μH/ft (RCA) or 0.0611μH/ft (XLR) Inductance
- 100% Individually shielded total coverage
- Velocity of Propagation: 90% Speed of Light
- Available with straight HOLO:PLUG® din, HOLO:PLUG® RCA, or HOLO:PLUG® XLR connectors. Model numbers reflect a straight HOLO:PLUG® din to HOLO:PLUG® RCA.

Add \$100.00 retail for 90° HOLO:PLUG® din connector
Add \$3,999.99 retail per additional 1 meter

Odin 2 Speaker Cable

Supreme Reference



Model	Length	Retail
*2OD1MS	1m	\$29,999.99
*2OD1.5MS	1.5m	\$33,999.99
*2OD2MS	2m	\$37,999.99
*2OD2.5MS	2.5m	\$41,999.99
*2OD3MS	3m	\$45,999.99
*2OD3.5MS	3.5m	\$49,999.99
*2OD4MS	4m	\$53,999.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned spacing, length and Dual Mono-Filament construction, TSC design
- 26 x 20 AWG silver-plated 99.999999% solid core OFC conductors
- 8.0pF/ft Capacitance
- 0.125μH/ft Inductance
- Velocity of Propagation: 98% Speed of Light
- HOLO:PLUG® gold-plated Spade or HOLO:PLUG® gold-plated low-mass Z-plug Banana termination

Add \$3,999.99 retail per additional ½ meter pair

Odin 2 Bi-wire Jumpers

Supreme Reference



Model	Length	Retail
O2J1SS	13.5"	\$6,999.99
O2J2SS	27"	\$13,999.99

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- 13 x 20AWG silver-plated 99.999999% solid core OFC conductors
- Mechanically tuned spacing, length and Dual Mono-Filament
- 8.0pF/ft capacitance
- 0.125uH/ft inductance
- HOLO:PLUG® gold-plated Spade or HOLO:PLUG® gold-plated low-mass Z-plug Banana termination



Leif, Norse 2, Valhalla 2, Odin, and more.



Made in the USA

Purple Flare Power Cord

Leif Series



Model	Length	Retail
PFPWR -1M	1m	\$154.99
PFPWR -1.5M	1.5m	\$185.99
PFPWR -2M	2m	\$216.99
PFPWR -2.5M	2.5m	\$247.99
PFPWR -3M	3m	\$278.99
PFPWR -3.5M	3.5m	\$309.99
PFPWR -4M	4m	\$340.99

- Fully manufactured and terminated in the USA
- Micro Mono-Filament construction
- Dedicated two conductor design for figure 8 application only
- 2 x 16 AWG 65 strand 99.9999% OFC conductors
- FEP insulation
- UL® approved
- 10.0pF/ft Capacitance
- 0.155uH/ft Inductance

Add \$60.00 retail for 90 degree wall plug
 Add \$50.00 retail for M or D type wall plug
 Add \$31.00 retail per additional 1/2 meter

Blue Heaven Power Cord

Leif Series



Model	Length	Retail
BHPWR -1M	1m	\$209.99
BHPWR -1.5M	1.5m	\$261.99
BHPWR -2M	2m	\$313.99
BHPWR -2.5M	2.5m	\$365.99
BHPWR -3M	3m	\$417.99
BHPWR -3.5M	3.5m	\$469.99
BHPWR -4M	4m	\$521.99

- Fully manufactured and terminated in the USA
- Micro Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC
- 3 x 16 AWG 65 strand 99.9999% OFC conductors
- FEP insulation/UL® approved
- 10.0pF/ft capacitance
- 0.155uH/ft Inductance

Add \$60.00 retail for 90 degree wall plug
 Add \$60.00 retail for Low Profile IEC (straight or 90°)
 Add \$60.00 retail for 90 degree IEC
 Add \$70.00 retail for Powercon Connector
 Add \$50.00 retail for M or D type wall plug
 Add \$52.00 retail per additional 1/2 meter

Red Dawn Power Cord

Leif Series



Model	Length	Retail
RDPWR-1M	1m	\$364.99
RDPWR-1.5M	1.5m	\$442.49
RDPWR-2M	2m	\$519.99
RDPWR-2.5M	2.5m	\$597.49
RDPWR-3M	3m	\$674.99
RDPWR-3.5M	3.5m	\$752.49
RDPWR-4M	4m	\$829.99



Available in **20 amp (US)** / **16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Micro-Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- 3 x 14 AWG 65 strand 99.9999% OFC conductors
- FEP insulation/UL[®] approved

Add \$60.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)

Add \$60.00 retail for 90 degree wall plug

Add \$60.00 retail for Low Profile IEC (straight or 90°)

Add \$60.00 retail for 90 degree IEC

Add \$70.00 retail for Figure 8

Add \$70.00 retail for Powercon Connector

Add \$50.00 retail for M or D type wall plug

Add \$77.50 retail per additional ½ meter

Heimdall 2 Power Cord

Norse 2



Model	Length	Retail
HEPWR-1M	1m	\$629.99
HEPWR-2M	2m	\$839.99
HEPWR-3M	3m	\$1049.99
HEPWR-4M	4m	\$1,259.99
HEPWR-5M	5m	\$1,469.99
HEPWR-6M	6m	\$1,679.99
HEPWR-7M	7m	\$1,889.99

- Fully manufactured and terminated in the USA
- Micro-Mono Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC
- 3 x 16 AWG silver plated 99.99999% OFC solid core conductors
- FEP insulation
- 10pF/ft capacitance
- 4.0 Ohms per 1,000ft/304m DC Resistance

Add \$60.00 retail for 90 degree wall plug

Add \$60.00 retail for Low Profile IEC (straight or 90°)

Add \$60.00 retail for 90 degree IEC

Add \$70.00 retail for Figure 8

Add \$70.00 retail for Powercon Connector

Add \$50.00 retail for M or D type wall plug

Add \$120.00 retail for J type wall plug

Add \$210.00 retail per additional 1 meter

Frey 2 Power Cord

Norse 2



Model	Length	Retail
FRPWR -1M	1m	\$1,679.99
FRPWR -2M	2m	\$1,994.99
FRPWR -3M	3m	\$2,309.99
FRPWR -4M	4m	\$2,624.99
FRPWR -5M	5m	\$2,939.99
FRPWR -6M	6m	\$3,254.99
FRPWR -7M	7m	\$3,569.99

Available in **20 amp (US)** / **16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Micro-Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- 5 x 16 AWG silver plated 99.99999% OFC solid core conductors
- 8.8pF/ft capacitance
- 2.0 Ohms per 1,000ft/304m DC Resistance

Add \$60.00 retail for 90 degree wall plug
 Add \$60.00 retail for Low Profile IEC (straight or 90°)
 Add \$60.00 retail for 90 degree IEC
 Add \$60.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)
 Add \$70.00 retail for Furutech Figure 8
 Add \$70.00 retail for Powercon Connector
 Add \$50.00 retail for M or D type wall plug
 Add \$120.00 retail for J type wall plug
 Add \$315.00 retail per additional 1 meter

Tyr 2 Power Cord

Norse 2



Model	Length	Retail
*TYPWR -1M	1m	\$2,799.99
*TYPWR -2M	2m	\$3,399.99
*TYPWR -3M	3m	\$3,999.99
*TYPWR -4M	4m	\$4,599.99
*TYPWR -5M	5m	\$5,199.99
*TYPWR -6M	6m	\$5,799.99
*TYPWR -7M	7m	\$6,399.99

Available in **20 amp (US)** / **16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- Mechanically Tuned Lengths
- Low dielectric FEP insulation
- 7 x 16 AWG solid core, silver-plated 99.99999% OFC conductors
- Cable Power Rating: 20 Amps
- 8pF/ft Capacitance
- 1.3 Ohms per 1,000ft/304m

Add \$60.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)
 Add \$60.00 retail for 90 degree wall plug
 Add \$60.00 retail for Low Profile IEC (straight or 90°)
 Add \$60.00 retail for 90 degree IEC
 Add \$70.00 retail for Furutech Figure 8
 Add \$70.00 retail for Powercon Connector
 Add \$120.00 retail for J type wall plug
 Add \$600.00 retail per additional 1 meter

Valhalla 2 Power Cord

Reference Series



Model	Length	Retail
2VHPWR1M	1m	\$4,999.99
2VHPWR2M	2m	\$5,999.99
2VHPWR3M	3m	\$6,999.99
2VHPWR4M	4m	\$7,999.99
2VHPWR5M	5m	\$8,999.99
2VHPWR6M	6m	\$9,999.99

Available in **20 amp (US) / 16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Dual Mono-Filament construction
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- 7 x 16 AWG silver plated 99.999999% OFC solid core conductors
- FEP insulation
- 8pF/ft Capacitance
- 1.3 Ohms per 1,000ft/304m
- US, EU, UK, AUS connectors available

Add \$100.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)

Add \$60.00 retail for 90 degree wall plug

Add \$400.00 retail for Low Profile HOLO:PLUG® IEC-C15

Add \$60.00 retail for 90 degree IEC

Add \$70.00 retail for Furutech Figure 8

Add \$70.00 retail for Powercon Connector

Add \$120.00 retail for J type wall plug

Add \$1000.00 retail per additional 1 meter

Odin Power Cord

Supreme Reference



Model	Length	Retail
ODPWR-1.25M	1.25m	\$10,999.99
ODPWR-2.5M	2.5m	\$15,999.99
ODPWR-5M	5m	\$25,999.99

Available in **20 amp (US) / 16 amp (EU, UK, AUS)**

- Fully manufactured and terminated in the USA
- Dual Micro-Mono-Filament construction with TSC
- 15 amp (US) / 13 amp (UK) / 10 amp (EU, AUS) IEC standard
- 7 x 15 AWG silver plated 99.999999% OFC solid core conductors
- FEP insulation
- Furutech rhodium plated connectors
- 19.0pF/ft capacitance
- 100% overall shield coverage

Add \$200.00 retail for 20 amp (US) / 16 amp (EU, UK, AUS)

Add \$70.00 retail for Furutech Figure 8

Add \$70.00 retail for Powercon Connector

Add \$5000.00 retail per additional 1.25 meter

QRT Qk1



Model	Retail
QK1	\$249.99

- Fully manufactured in the USA
- AC Load Resonating Coil
- Allows for greater musicality and improves tonal balance
- Increases clarity of imaging, including sharpness, depth and focus
- Lowers the noise floor
- Load resonating coil using patented Micro Mono-Filament technology
- Mechanically tuned carbon-fiber body
- Gold plated NEMA or Schuko connector

QRT Qv2



Model	Retail
QV2	\$349.99

- Fully manufactured in the USA
- AC Line harmonizer
- Introduces carefully calculated range of harmonic frequencies to the AC line, clocked from the AC line itself
- Improves sound and picture quality
- Lowers background noise
- Increases depth of soundstage

QRT QB4 MARK II



Model	Retail
QB4II/US	\$949.99
QB4II/EUR	\$949.99
QB4II/AUS	\$949.99



Use with **15 amp IEC**

- Fully manufactured in the USA
- 4 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- External ground post for connection to separate clean ground
- Dedicated Fuse
- Available in US, EU, and AUS configurations
- Comes with one replacement fuse

Add \$20 retail for additional replacement fuse

QRT QB6 MARK II




Model	Retail
QB6II UK -13	\$1,599.99
QB6II UK -16	\$1,899.99



Use with **13 amp IEC**

OR...



Use with **16 amp IEC**

- Fully manufactured in the USA
- 6 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- External ground post for connection to separate clean ground
- Dedicated Fuse
- Available in UK configuration only
- Comes with one replacement fuse

Add \$20 retail for additional replacement fuse

QRT QB8 MARK II



Model	Retail
QB8II/US	\$1,599.99
QB8II/EUR	\$1,599.99
QB8II/AUS	\$1,599.99



Use with **15 amp IEC**

- Fully manufactured and terminated in the USA
- 8 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- External ground post for connection to separate clean ground
- Dedicated Fuse
- Available in US, EU, and AUS configurations
- Comes with one replacement fuse

Add \$20 retail for additional replacement fuse

QRT QB8 MARK II: 20 Amp (US) / 16 Amp (EU, AUS)



Model	Retail
QB8II/US-20	\$1,899.99
QB8II/EUR-16	\$1,899.99
QB8II/AUS-16	\$1,899.99



Use with **20 amp IEC (US) / 16 amp (EU, AUS)**

QRT QLINE Ground Wire



Model	Length	Retail
QLINE2MS	2M	\$299.99

- Fully manufactured and terminated in the USA
- 8 outlet design
- Focused star ground for superior sonic performance
- No in-line filtering or active circuitry keeps the lowest possible AC supply impedance
- Primary Earth grounding
- External ground post for connection to separate clean ground
- Dedicated Fuse
- Heavy gauge internal wiring
- Comes with one replacement fuse

Add \$20 retail for additional replacement fuse

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Micro Mono-Filament technology
- 10 AWG plated 99.9999% OFC 231 strand conductor
- Termination: Large Spade (8.5mm) to Crimped Ferrule (18mm x 3.8mm) is standard. Additional terminations available

Add \$100.00 retail per additional 1 meter

QRT QKORE1



Model	Retail
QKORE-1	\$2,499.99

- Fully manufactured in the USA
- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with one "QBASE Ground" binding post to ground your distribution block.
- Offers an effective ground on the primary side of the power supply.
- Provided with a 2M Banana to Banana QKORE Wire.

QRT QKORE3



Model	Retail
QKORE-3	\$3,499.99

- Fully manufactured in the USA
- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with three multi-use binding posts to ground your audio circuitry.
- Grounds system components on the secondary side of the power supply, where the audio circuit is.
- Provided with a 2M RCA to Banana QKORE Wire.

QRT QKORE6



Model	Retail
QKORE-6	\$4,999.99

- Fully manufactured in the USA
- Comprehensive parallel grounding device.
- Lowers noise floor, increases harmonic accuracy and clarity, and elevates overall musicality in system performance.
- Furnished with three multi-use binding posts for audio circuitry, two binding posts for left and right monoblocks, and one "QBASE Ground" binding post to ground your distribution block.
- Offers an effective ground on the primary side of the power supply, for a distribution block, as well as on the secondary side of the power supply, for system components, including those with separate left and right chassis.
- Provided with a 2M Banana to Banana QKORE wire and a 2M RCA to Banana QKORE Wire.

QRT QKORE WIRE



Model	Length	Retail
QKW2M	2M	\$360.00

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Micro Mono-Filament technology
- 16 AWG Conductor
- Silver-plated 99.9999% solid core OFC
- Termination options: RCA, male-XLR, female-XLR, BNC, banana, or spade, to banana or spade. (further options available)

Add \$150.00 retail per additional 1 meter

QRT Qx2



Model	Retail
Qx2	\$1,799.99

- Fully manufactured in the USA
- Field based power purifier with two field generators
- Parallel operation ensures no compromise to the peak current capabilities of the power supply nor grounding integrity
- Limits RFI and timing errors
- Lower noise floor and greater dynamic range
- One outlet design makes matching the QB distribution bar to it a great combination

QRT Qx4



Model	Retail
Qx4	\$2,699.99

- Fully manufactured in the USA
- Field based power purifier with four field generators
- Parallel operation ensures no compromise to the peak current capabilities of the power supply nor grounding integrity
- Limits RFI and timing errors
- Lower noise floor and greater dynamic range
- One outlet design makes matching the QB distribution bar to it a great combination

White Lightning Interconnect

Leif Series



Model	Length	Retail
WL0.6MR	0.6m	\$179.99
WL1MR	1m	\$194.99
WL1.5MR	1.5m	\$219.99
WL2MR	2m	\$244.99
WL2.5MR	2.5m	\$269.99
WL3MR	3m	\$294.99
WL3.5MR	3.5m	\$319.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 95% braid
- 4 x26 AWG silver plated 99.9999 OFC solid core conductors
- FEP Insulation
- 43.0pF/ft capacitance
- 0.046uH/ft inductance
- RCA or XLR termination

Add \$25.00 retail per additional ½ meter pair

Purple Flare Interconnect

Leif Series



Model	Length	Retail
PF0.6MR	0.6m	\$234.99
PF1MR	1m	\$269.99
PF1.5MR	1.5m	\$324.99
PF2MR	2m	\$379.99
PF2.5MR	2.5m	\$434.99
PF3MR	3m	\$489.99
PF3.5MR	3.5m	\$544.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 95% braid
- 6 x26 AWG silver plated 99.9999 OFC solid core conductors
- FEP Insulation
- 55.0pF/ft capacitance
- 0.037uH/ft inductance
- RCA or XLR termination

Add \$55.00 retail per additional ½ meter pair

Blue Heaven Interconnect

Leif Series



Model	Length	Retail
LSBH0.6MR	0.6m	\$344.99
LSBH1MR	1m	\$374.99
LSBH1.5MR	1.5m	\$449.99
LSBH2MR	2m	\$524.99
LSBH2.5MR	2.5m	\$599.99
LSBH3MR	3m	\$674.99
LSBH3.5MR	3.5m	\$749.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 95% braid
- 4 x24 AWG silver plated 99.9999 OFC solid core conductors
- FEP Insulation
- 45.0pF/ft capacitance
- 0.046uH/ft inductance
- RCA or XLR termination

Add \$40.00 retail per 5-pin or 4-pin Din connector
Add \$75.00 retail per additional ½ meter pair

Red Dawn Interconnect

Leif Series



Model	Length	Retail
LSRD0.6MR	0.6m	\$494.99
LSRD1MR	1m	\$539.99
LSRD1.5MR	1.5m	\$649.99
LSRD2MR	2m	\$759.99
LSRD2.5MR	2.5m	\$869.99
LSRD3MR	3m	\$979.99
LSRD3.5MR	3.5m	\$1,089.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 95% braid
- 6 x24 AWG silver plated 99.9999 OFC solid core conductors
- FEP Insulation
- 60.0pF/ft capacitance
- 0.035uH/ft inductance
- RCA or XLR termination

Add \$110.00 retail per additional ½ meter pair

Heimdall 2 Interconnect

Norse 2



Model	Length	Retail
2HE0.6MR	0.6m	\$729.99
2HE1MR	1m	\$939.99
2HE1.5MR	1.5m	\$1,149.99
2HE2MR	2m	\$1,359.99
2HE2.5MR	2.5m	\$1,569.99
2HE3MR	3m	\$1,779.99
2HE3.5MR	3.5m	\$1,989.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 97% braid
- 4 x24 AWG silver plated 99.99999 OFC solid core conductors
- Dual Mono-Filament design
- 25.0pF/ft capacitance
- 0.06uH/ft inductance
- Nordost MoonGlo RCA or Neutrik XLR termination

Add \$40.00 retail per 5-pin or 4-pin Din connector
Add \$210.00 retail per additional ½ meter pair

Frey 2 Interconnect

Norse 2



Model	Length	Retail
2FR0.6MR	0.6m	\$1,154.99
2FR1MR	1m	\$1,459.99
2FR1.5MR	1.5m	\$1,774.99
2FR2MR	2m	\$2,089.99
2FR2.5MR	2.5m	\$2,404.99
2FR3MR	3m	\$2,719.99
2FR3.5MR	3.5m	\$3,034.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 97% braid
- 5 x24 AWG silver plated 99.99999 OFC solid core conductors
- Dual Mono-Filament design
- 28.0pF/ft capacitance
- 0.055uH/ft inductance
- Nordost MoonGlo RCA or Neutrik XLR termination

Add \$315.00 retail per additional ½ meter pair

Tyr 2 Interconnect

Norse 2



Model	Length	Retail
2TY0.6MR	0.6m	\$2,099.99
2TY1MR	1m	\$2,509.99
2TY1.5MR	1.5m	\$2,929.99
2TY2MR	2m	\$3,349.99
2TY2.5MR	2.5m	\$3,769.99
2TY3MR	3m	\$4,189.99
2TY3.5MR	3.5m	\$4,609.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shielded analog interconnect with 97% braid
- 7 x24 AWG silver plated 99.99999 OFC solid core conductors
- Dual Mono-Filament design
- 33.0pF/ft capacitance
- 0.045uH/ft inductance
- Nordost MoonGlo RCA or Neutrik XLR termination

Add \$40.00 retail per 5-pin or 4-pin Din connector
Add \$420.00 retail per additional ½ meter pair

Valhalla 2 Interconnect

Reference Series



Model	Length	Retail
2VH0.6MR	0.6m	\$6,499.99
2VH1MR	1m	\$7,599.99
2VH1.5MR	1.5m	\$8,699.99
2VH2MR	2m	\$9,799.99
2VH2.5MR	2.5m	\$10,899.99
2VH3MR	3m	\$11,999.99
2VH3.5MR	3.5m	\$13,099.99
2VH4MR	4m	\$14,199.99
2VH4.5MR	4.5m	\$15,299.99
2VH5MR	5m	\$16,399.99
2VH5.5MR	5.5m	\$17,499.99
2VH6MR	6m	\$18,599.99
2VH6.5MR	6.5m	\$19,699.99
2VH7MR	7m	\$20,799.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Dual shielded silver braid analog interconnect
- 10 x24 AWG silver plated 99.999999% OFC solid core conductors
- Dual Mono-Filament design
- 17.0pF/ft capacitance
- Holo:Plug RCA or Holo:Plug XLR termination (note: retermination unavailable)

Add \$40.00 retail per 5-pin or 4-pin Din connector
Add \$1,100.00 retail per additional ½ meter pair

Odin Interconnect

Supreme Reference



Model	Length	Retail
OD0.6MR	0.6m	\$13,999.99
OD1MR	1m	\$15,999.99
OD1.5MR	1.5m	\$17,999.99
OD2MR	2m	\$19,999.99
OD2.5MR	2.5m	\$21,999.99
OD3MR	3m	\$23,999.99
OD3.5MR	3.5m	\$25,999.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- 100% Shielded analog interconnect with TSC (Total Signal Control) tubes
- 8 x23 AWG silver plated 99.99999 OFC solid core conductors
- Dual Mono-Filament design
- 19.0pF/ft capacitance
- WBT oversized 10mm Nextgen RCA or rhodium plated Furutech XLR termination

Add \$100.00 retail per 5-pin or 4-pin Din connector

Add \$2000.00 retail per additional ½ meter pair

Blue Heaven iKable

Leif Series



Model	Length	Retail
*iKBH0.6M	0.6m	\$179.99
*iKBH1M	1m	\$214.99
*iKBH2M	2m	\$284.99
*iKBH3M	3m	\$354.99
*iKBH4M	4m	\$424.99
*iKBH5M	5m	\$494.99
*iKBH6M	6m	\$564.99

- Fully manufactured and terminated in the USA
- 4 x 24 AWG stranded silver-plated 99.9999% OFC conductors
- Fully shielded braid
- High performance, low dielectric FEP insulation
- Gold plated, full metal jacket shell connectors available in:
 - 3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)
 - 3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)
 - 3.5mm stereo mini (Neutrik) to (2x) RCA (Neutrik)

Add \$70.00 retail per additional 1 meter

Heimdall 2 iKable

Norse 2



Model	Length	Retail
*iK2HE0.6M	0.6m	\$360.00
*iK2HE1M	1m	\$460.00
*iK2HE2M	2m	\$660.00
*iK2HE3M	3m	\$860.00
*iK2HE4M	4m	\$1,060.00
*iK2HE5M	5m	\$1,260.00
*iK2HE6M	6m	\$1,460.00

- Fully manufactured and terminated in the USA
- 4 x 24 AWG stranded silver-plated 99.99999% OFC conductors
- Dual Mono-Filament technology
- High performance, low dielectric FEP insulation
- Mechanically tuned lengths
- Gold plated, full metal jacket shell connectors available in:
 - 3.5mm stereo mini (Neutrik) to 3.5mm stereo mini (Neutrik)
 - 3.5mm stereo mini (Neutrik) to (2x) XLR (Neutrik)
 - 3.5mm stereo mini (Neutrik) to (2x) RCA (Nordost MoonGlo)

Add \$200.00 retail per additional 1 meter

Blue Heaven Headphone Cable

Leif Series



Model	Length	Retail
BHHP1.25M-...	1.25m	\$399.99
BHHP2M-...	2m	\$499.99











- Fully manufactured and terminated in the USA
- 34 AWG 7/42 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Gold plated contact points

All cables come terminated with a 3.5mm Stereo Mini Connector and are supplied with a screw-on 1/4" (6.3mm) Stereo Phono Adapter

SEE NEXT PAGE FOR AVAILABLE TERMINATION OPTIONS ON THE HEADPHONE END

Blue Heaven Headphone Cable:

Termination Options

	Model	Upcharge	Compatible Headphones*
3.5mm stereo mini with 1/4" Stereo Phono Adapter (2x) push-pull 	BHHP1.25M -1 (1.25 METER) BHHP2M -1 (2 METER)	+ \$50.00 Retail	SENNHEISER: HD 800 Headphones ENIGMA ACOUSTICS: Dharma Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (2x) 4 pin mini XLR 	BHHP1.25M -2 (1.25 METER) BHHP2M -2 (2 METER)	No Upcharge	AUDEZE: LCD-3, LCD-2, and LCD-XC Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (2x) 2 pin 	BHHP1.25M -3 (1.25 METER) BHHP2M -3 (2 METER)	No Upcharge	SENNHEISER: HD 650 and HD 600 Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (2x) 4 pin HIROSE 	BHHP1.25M -5 (1.25 METER) BHHP2M -5 (2 METER)	+ \$50.00 Retail	MrSPEAKERS™: Alpha Dog, ETHER, and ETHER-C Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (2x) 2.5mm mono mini 	BHHP1.25M -6 (1.25 METER) BHHP2M -6 (2 METER)	No Upcharge	OPPO Headphones HIFIMAN: HE1000, HE560, and HE400i Headphones SENNHEISER: HD 700 Headphones AUDIOQUEST®: Nighthawk Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (1x) 3.5mm stereo mini 	BHHP1.25M -8 (1.25 METER) BHHP2M -8 (2 METER)	No Upcharge	ULTRASONIC: HFI and PRO Headphones MASTER & DYNAMIC: MH40 Headphones FOCAL®: Spirit Classic Headphones B&O: BeoPlay H6 Headphones A&DLE: VK-1 Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (2x) 8 Contact 	BHHP1.25M -10 (1.25 METER) BHHP2M -10 (2 METER)	+ \$50.00 Retail	AUDEZE: EL-8 Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (2x) 3.5mm stereo mini 	BHHP1.25M -11 (1.25 METER) BHHP2M -11 (2 METER)	+ \$50.00 Retail	SONY: MDR-Z7 and MDR-Z1R Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (2x) 3.5mm mono mini 	BHHP1.25M -12 (1.25 METER) BHHP2M -12 (2 METER)	No Upcharge	MCINTOSH: MHP1000 Headphones
3.5mm stereo mini with 1/4" Stereo Phono Adapter (1x) 3 pin LEMO Push-Pull 	BHHP1.25M -14 (1.25 METER) BHHP2M -14 (2 METER)	+ \$50.00 Retail	AKG: K812 Headphones

- Fully manufactured and terminated in the USA
- 34 AWG 7/42 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Gold plated contact points

All cables come terminated with a 3.5mm Stereo Mini Connector and are supplied with a screw-on 1/4" (6.3mm) Stereo Phono Adapter

*compatible headphones subject to change

Heimdall 2 Headphone Cable

Norse 2



Model	Length	Retail
2HEHP...	2m	\$799.99

- Fully manufactured and terminated in the USA
- 32 AWG 7/40 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Mechanically tuned lengths
- Gold plated contact points

SEE NEXT TWO PAGES FOR MORE INFORMATION ON:















- Available Termination Options
- Adapters
- Extension Cables



Add Extension Cable

2HEHP...EXT	2m	\$599.99
-------------	----	----------

Heimdall 2 Headphone Cable: Termination Options

	Model	Compatible Headphones*
4 pin XLR (male) (2x) push-pull 	2HEHP-1	SENNHEISER: HD 800 Headphones
4 pin XLR (male) (2x) 4 pin mini XLR 	2HEHP-2	AUDEZE: LCD-3, LCD-2, LCD-XC, and LCD-X Headphones
4 pin XLR (male) (2x) 2 pin 	2HEHP-3	SENNHEISER: HD 650 and HD 600 Headphones
4 pin XLR (male) (2x) SMC 	2HEHP-4	HIFIMAN: HE400 and HE6 Headphones
4 pin XLR (male) (2x) 4 pin HIROSE push-pull 	2HEHP-5	MrSPEAKERS™: Alpha Dog, ETHER, and ETHER-C Headphones
4 pin XLR (male) (2x) 2.5mm mono mini 	2HEHP-6	OPPO Headphones HIFIMAN: HE1000 Headphones SENNHEISER: HD 700 Headphones
4 pin XLR (male) (1x) 3 pin mini XLR 	2HEHP-7	AKG: K712 Headphones
4 pin XLR (male) (1x) 3.5mm stereo mini 	2HEHP-8	ULTRASONE: HFI and PRO Headphones
4 pin XLR (male) (2x) MMCX 	2HEHP-9	ULTRASONE: EDITION 5 Headphones SHURE®: SE846 Earphones
4 pin XLR (male) (2x) 8 Contact 	2HEHP-10	AUDEZE: EL-8 Headphones
4 pin XLR (male) (2x) 3.5mm stereo mini 	2HEHP-11	SONY: MDR-Z7 and MDR-Z1R Headphones
4 pin XLR (male) (2x) 3.5mm mono mini 	2HEHP-12	MCINTOSH: MHP1000 Headphones
4 pin XLR (male) (2x) LEMO Push-Pull 	2HEHP-13	FOCAL®: UTOPIA Headphones
4 pin XLR (male) (1x) 3 pin LEMO Push-Pull 	2HEHP-14	AKG: K812 Headphones

- Fully manufactured and terminated in the USA
- 32 AWG 7/40 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Mechanically tuned lengths
- Gold plated contact points

SEE NEXT PAGE FOR MORE INFORMATION ON:

- Adapters
- Extension Cables

*compatible headphones subject to change

Heimdall 2 Headphone Cable: Adapters and Extension Cables

Adapters Included With All Headphone Cables	Model	Length	
1/4in (6.3mm) stereo phono to 4 pin XLR (female) adapter 	2HEHP6.3	0.25m	Included with all Headphone Cables
3.5mm stereo mini to 4 pin XLR (female) adapter 	2HEHP3.5	0.25m	Included with all Headphone Cables
Additional Adapters Sold Separately	Model	Length	Retail
(2x) 3 pin XLR (male) to 4 pin XLR (female) adapter 	2HEHP2XLR	0.25m	\$189.99
(2x) 3 pin XLR (female) to 4 pin XLR (female) adapter 	2HEHP2XLRF	0.25m	\$189.99
2.5mm 4-pole to 4 pin XLR (female) adapter 	2HEHP2.5	0.25m	\$189.99
4.4mm 5-pole to 4 pin XLR (female) adapter 	2HEHP4.4	0.25m	\$249.99
(2x) 3.5mm mini to 4 pin XLR (female) adapter 	2HEHPONO	0.25m	\$189.99
Special 2M Extension Cables Sold Separately:	Model	Length	Retail
3.5mm stereo mini 4 pin XLR (female) 	2HEHP3.5EXT	2m	\$599.99
1/4in (6.3mm) stereo phono 4 pin XLR (female) 	2HEHP6.3EXT	2m	\$599.99
4 pin XLR (male) 4 pin XLR (female) 	2HEHPXLREXT	2m	\$599.99

All Adapters and Extension Cables are terminated with a female 4 pin XLR that attaches to the male 4 pin XLR on the Heimdall 2 Headphone Cable.

All Adapters and Extension Cables are made with the same cable as the base Heimdall 2 Headphone Cable.

- Fully manufactured and terminated in the USA
- 32 AWG 7/40 Litz Wire Construction
- Micro Mono-Filament technology
- Low dielectric FEP insulation
- Mechanically tuned lengths
- Gold plated contact points

Blue Heaven Ethernet Cable

Leif Series



Model	Length	Retail
BHNET1M	1m	\$399.99
BHNET2M	2m	\$499.99
BHNET3M	3m	\$599.99
BHNET4M	4m	\$699.99
BHNET5M	5m	\$799.99
BHNET6M	6m	\$899.99
BHNET7M	7m	\$999.99
BHNET8M	8m	\$1,099.99

- Fully manufactured and terminated in the USA
- 24 AWG solid core copper conductors
- Screened Foiled Twisted Pair Design (s/ftp)
- Fully Shielded Dual Braid
- High-Density Polymer Insulation
- Cable speed up to 600 MHz
- Terminated with shielded 8p8c/RJ45 connectors

Add \$100.00 retail per additional 1 meter

Heimdall 2 Ethernet Cable

Norse 2



Model	Length	Retail
2HENET1M	1m	\$699.99
2HENET2M	2m	\$849.99
2HENET3M	3m	\$999.99
2HENET4M	4m	\$1,149.99
2HENET5M	5m	\$1,299.99
2HENET6M	6m	\$1,449.99
2HENET7M	7m	\$1,599.99
2HENET8M	8m	\$1,749.99

- Fully manufactured and terminated in the USA
- 23 AWG solid core copper conductors
- Screened Foiled Twisted Pair Design (s/ftp)
- Fully Shielded Dual Braid
- High-Density Polymer Insulation
- Mechanically tuned lengths
- Cable speed up to 1000 MHz
- Terminated with ruggedized, shielded 8p8c/RJ45 connectors

Add \$150.00 retail per additional 1 meter

Bassline Subwoofer Cable



Model	Length	Retail
BSLSW1MR	1m	\$99.99
BSLSW2MR	2m	\$157.99
BSLSW3MR	3m	\$215.99
BSLSW4MR	4m	\$273.99
BSLSW5MR	5m	\$331.99
BSLSW6MR	6m	\$389.99
BSLSW7MR	7m	\$447.99

- Fully manufactured and terminated in the USA
- 6 x 24 AWG 99.9999 silver plated OFC solid core conductors
- 100% shield coverage with Aluminized Mylar
- FEP insulation
- 43.0pF/ft capacitance
- 13.5 ohms DC resistance
- BSLY "Y" adaptor is available for \$99.99 retail
Specify male or female when ordering
Sold in singles and XLR is available

Add \$58.00 retail for additional 1 meter

Blue Heaven HDMI

Leif Series



Model	Length	Retail
BHHDMI -1M	1m	\$349.99
BHHDMI -2M	2m	\$449.99
BHHDMI -3M	3m	\$549.99
BHHDMI -5M	5m	\$749.99
BHHDMI -7M	7m	\$949.99
BHHDMI -9M	9m	\$1,149.99
BHHDMI -12M	12m	\$1,449.99

FIRST AND ONLY HDMI CABLES MADE IN THE USA!



- DPL Labs certified for lengths up to 5m
- Micro Mono-Filament construction
- High speed with ethernet and audio return
- 19 x 26AWG silver plated 99.9999 OFC conductors
- High performance air-spaced FEP insulation
- Fully shielded
- Terminated with high quality gold plated HDMI connectors
- Fully manufactured and hand terminated in the USA



Heimdall 2 4K UHD Cable

Norse 2



Model	Length	Retail
2HEUHD1M	1m	\$599.99
2HEUHD2M	2m	\$799.99
2HEUHD3M	3m	\$999.99
2HEUHD5M	5m	\$1,399.99
2HEUHD7M	7m	\$1,799.99
2HEUHD10M	10m	\$2,399.99

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay and Micro Mono-Filament construction, twin-axial shielded pair design
- 19 x 25 AWG silver-plated 99.99999% solid core OFC conductors
- 100% Total shield coverage
- Velocity of Propagation: 86% Speed of Light
- Terminated with gold-plated, shielded, 19 pin, type A, High Definition connectors
- **Approvals: DPL 4K Certification**

Valhalla 2 4K UHD Cable

Reference Series



Model	Length	Retail
2VHUHD1M	1m	\$2,999.99
2VHUHD2M	2m	\$3,999.99
2VHUHD3M	3m	\$4,999.99
2VHUHD5M	5m	\$6,999.99
2VHUHD7M	7m	\$8,999.99
2VHUHD10M	10m	\$11,999.99
2VHUHD12M	12m	\$13,999.99
2VHUHD15M	15m	\$16,999.99

- Fully manufactured and terminated in the USA
- High purity class 1.003 extruded Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay and Micro Mono-Filament construction, twin-axial shielded pair design
- 19 x 24 AWG silver-plated 99.999999% solid core OFC conductors
- 100% Total shield coverage
- Velocity of Propagation: 86% Speed of Light
- Terminated with gold-plated, shielded, 19 pin, type A, High Definition connectors
- **Approvals: DPL 4K Certification**

Purple Flare USB 2.0

Leif Series



Model	Length	Retail
PFUSB0.6M	0.6m	\$179.99
PFUSB1M	1m	\$199.99
PFUSB2M	2m	\$239.99
PFUSB3M	3m	\$279.99

- Fully manufactured and terminated in the USA
- Fluorinated Ethylene Propylene (FEP) insulation
- Mechanically tuned lay, twisted shielded pair design
- 4 x 28 AWG silver-plated 99.9999% OFC stranded conductors
- 2.0 standard
- 100% Total shield coverage
- Velocity of Propagation: 70%
- Available with Standard Class A USB 2.0 to Standard A, Standard B, Micro B, or Mini B

Add \$20.00 retail per Micro B, or Mini B connector

Blue Heaven USB 2.0

Leif Series



Model	Length	Retail
BHUSB -1M	1m	\$249.99
BHUSB -2M	2m	\$349.99
BHUSB -3M	3m	\$449.99
BHUSB -5M	5m	\$649.99
BHUSB -7M	7m	\$849.99

- Fully manufactured and terminated in the USA
- Micro Mono-Filament technology
- 2.0 standard
- Available with class A or Class B connectors (standard is A to B)
- 4x20 AWG Silver plated 99.99999 OFC stranded conductors

Heimdall 2 USB 2.0

Norse 2



Model	Length	Retail
HEUSB -1M	1m	\$499.99
HEUSB -2M	2m	\$599.99
HEUSB -3M	3m	\$699.99
HEUSB -5M	5m	\$899.99
HEUSB -7M	7m	\$1,099.99

- Fully manufactured and terminated in the USA
- Newly optimized Dual Mono-Filament construction
- 2.0 standard
- 4x20 AWG Silver plated 99.99999 OFC stranded conductors
- Optimized cable geometry and length
- Available with class A or Class B connectors (standard is A to B)

Tyr 2 USB 2.0

Norse 2



Model	Length	Retail
*TYUSB1M	1m	\$1,299.99
*TYUSB2M	2m	\$1,599.99
*TYUSB3M	3m	\$1,899.99
*TYUSB5M	5m	\$2,499.99
*TYUSB7M	7m	\$3,099.99

- Fully manufactured and terminated in the USA
- Dual Mono-Filament construction
- 2.0 standard
- 4x20 AWG Silver plated 99.99999 OFC solid core conductors
- Twisted pair, double helix geometry
- Mechanically tuned lengths
- Dual silver foil jacket and silver braided shielding
- Available with class A or Class B connectors (standard is A to B)

Valhalla 2 USB 2.0

Reference Series



Model	Length	Retail
*2VHUSB1M	1m	\$3,499.99
*2VHUSB2M	2m	\$4,699.99
*2VHUSB3M	3m	\$5,899.99
*2VHUSB4M	4m	\$7,099.99
*2VHUSB5M	5m	\$8,299.99
*2VHUSB6M	6m	\$9,499.99
*2VHUSB7M	7m	\$10,699.99

- Fully manufactured and terminated in the USA
- Dual Mono-Filament construction
- 2.0 standard
- 4x19 AWG solid core, silver-plated 99.999999% OFC conductors
- Flat, Twin-axial design
- Mechanically tuned lengths
- Individually shielded power and signal conductors
- Gold plated HOLO:PLUG® class A and class B Connectors (standard is A to B)

Blue Heaven Digital Cable 75 Ohm

Leif Series



Model	Length	Retail
BHD1MBNC	1m	\$199.99
BHD1.5MBNC	1.5m	\$224.99
BHD2MBNC	2m	\$249.99
BHD2.5MBNC	2.5m	\$274.99
BHD3MBNC	3m	\$299.99
BHD3.5MBNC	3.5m	\$324.99
BHD4MBNC	4m	\$349.99

- Fully manufactured and terminated in the USA
- Micro Mono-Filament technology
- 75 Ohm S/PDIF digital cable terminated with BNC
- BNC to RCA adapters are included
- 24 AWG silver plated 99.9999 OFC solid core conductor
- Coaxial design

Add \$25.00 retail per additional ½ meter

Heimdall 2 Digital Cable 75 Ohm

Norse 2



Model	Length	Retail
HED1MBNC	1m	\$734.99
HED1.5MBNC	1.5m	\$889.99
HED2MBNC	2m	\$1,044.99
HED2.5MBNC	2.5m	\$1,199.99
HED3MBNC	3m	\$1,354.99
HED3.5MBNC	3.5m	\$1,509.99
HED4MBNC	4m	\$1,664.99

- Fully manufactured and terminated in the USA
- Micro Mono-Filament technology
- 75 Ohm S/PDIF digital cable terminated with BNC
- BNC to RCA adapters are included
- 20 AWG silver plated 99.99999 OFC solid core conductor
- Coaxial design

Add \$155.00 retail per additional ½ meter

Heimdall 2 Digital Cable 110 Ohm

Norse 2



Model	Length	Retail
HED1MXLR	1m	\$734.99
HED1.5MXLR	1.5m	\$889.99
HED2MXLR	2m	\$1,044.99
HED2.5MXLR	2.5m	\$1,199.99
HED3MXLR	3m	\$1,354.99
HED3.5MXLR	3.5m	\$1,509.99
HED4MXLR	4m	\$1,664.99

- Fully manufactured and terminated in the USA
- Micro Mono-Filament technology
- 110 Ohm AES/EBU digital cable terminated with Neutrik XLR
- Two 20 AWG silver plated 99.99999 OFC solid core conductors
- Balanced design

Add \$155.00 retail per additional ½ meter

Tyr 2 Digital Cable 75 Ohm

Norse 2



Model	Length	Retail
*2TYD1MBNC	1m	\$1,499.99
*2TYD1.5MBNC	1.5m	\$1,799.99
*2TYD2MBNC	2m	\$2,099.99
*2TYD2.5MBNC	2.5m	\$2,399.99
*2TYD3MBNC	3m	\$2,699.99
*2TYD3.5MBNC	3.5m	\$2,999.99
*2TYD4MBNC	4m	\$3,299.99

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 75 Ohm S/PDIF digital cable terminated with BNC
- BNC to RCA adapters are included
- 18 AWG silver plated 99.99999 OFC solid core conductor
- Coaxial design

Add \$300.00 retail per additional ½ meter

Tyr 2 Digital Cable 110 Ohm

Norse 2



Model	Length	Retail
*2TYD1MXLR	1m	\$1,499.99
*2TYD1.5MXLR	1.5m	\$1,799.99
*2TYD2MXLR	2m	\$2,099.99
*2TYD2.5MXLR	2.5m	\$2,399.99
*2TYD3MXLR	3m	\$2,699.99
*2TYD3.5MXLR	3.5m	\$2,999.99
*2TYD4MXLR	4m	\$3,299.99

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 110 Ohm AES/EBU digital cable terminated Neutrik XLR
- Two 19 AWG silver plated 99.99999 OFC solid core conductors
- Balanced design

Add \$300.00 retail per additional ½ meter

Valhalla 2 Digital Cable 75 Ohm

Reference Series



Model	Length	Retail
2VHD1.25MBNC	1.25m	\$3,299.99
2VHD2MBNC	2m	\$4,199.99
2VHD3MBNC	3m	\$5,399.99
2VHD4MBNC	4m	\$6,599.99
2VHD5MBNC	5m	\$7,799.99
2VHD6MBNC	6m	\$8,999.99

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 75 Ohm S/PDIF digital cable terminated with BNC and supplied with gold plated RCA adaptors
- 16 AWG silver plated 99.999999% OFC solid core conductor
- Coaxial design
- 15.3pF/ft capacitance
- Propagation delay: 89% speed of light

Add \$1,200.00 retail per additional 1 meter

Valhalla 2 Digital Cable 110 Ohm

Reference Series



Model	Length	Retail
2VHD1.25MXLR	1.25m	\$3,299.99
2VHD2MXLR	2m	\$4,199.99
2VHD3MXLR	3m	\$5,399.99
2VHD4MXLR	4m	\$6,599.99
2VHD5MXLR	5m	\$7,799.99
2VHD6MXLR	6m	\$8,999.99

- Fully manufactured and terminated in the USA
- Dual Mono-Filament technology
- 110 Ohm AES/EBU digital cable terminated with HOLO:PLUG® XLR
- Two 18 AWG silver plated 99.999999% OFC solid core conductors
- Balanced design
- 10.5pF/ft capacitance
- Propagation delay: 89% speed of light

Add \$1,200.00 retail per additional 1 meter

Blue Heaven Tonearm Cable

Leif Series



Model	Length	Retail
BH1.25MTA	1.25m	\$399.99
BH1.75MTA	1.75m	\$472.99
BH2.25MTA	2.25m	\$545.99
BH2.75MTA	2.75m	\$618.99
BH3.25MTA	3.25m	\$691.99
BH3.75MTA	3.75m	\$764.99
BH4.25MTA	4.25m	\$837.99

- Fully manufactured and terminated in the USA
- 4 x 24 AWG silver plated 99.9999 OFC solid core conductors
- 26 AWG drain wire
- 45.0pF/ft capacitance
- 0.046uH/ft inductance
- 98% shield braid
- Tonearm cables are available with straight din, RCA, or XLR connectors. Standard model numbers reflect a straight din to RCA.

Add \$50.00 retail for 90 degree din connector

Add \$73.00 retail for additional ½ meter

Heimdall 2 Tonearm Cable

Norse 2



Model	Length	Retail
2HE1.25MTA	1.25m	\$659.99
2HE1.75MTA	1.75m	\$764.99
2HE2.25MTA	2.25m	\$869.99
2HE2.75MTA	2.75m	\$974.99
2HE3.25MTA	3.25m	\$1,079.99
2HE3.75MTA	3.75m	\$1,184.99
2HE4.25MTA	4.25m	\$1,289.99

- Fully manufactured and terminated in the USA
- 4 x 24 AWG silver plated 99.99999 OFC solid core conductors
- Mono-Filament design
- 26 AWG drain wire
- 25.0pF/ft capacitance
- 0.06uH/ft inductance
- Tonearm cables are available with straight din, RCA, or XLR connectors. Standard model numbers reflect a straight din to RCA.

Add \$50.00 retail for 90 degree din connector

Add \$105.00 retail for additional ½ meter

Frey 2 Tonearm Cable

Norse 2



Model	Length	Retail
2FR1.25MTA	1.25m	\$839.99
2FR1.75MTA	1.75m	\$1,049.99
2FR2.25MTA	2.25m	\$1,259.99
2FR2.75MTA	2.75m	\$1,469.99
2FR3.25MTA	3.25m	\$1,679.99
2FR3.75MTA	3.75m	\$1,889.99
2FR4.25MTA	4.25m	\$2,099.99

- Fully manufactured and terminated in the USA
- 5 x 24 AWG silver plated 99.99999 OFC solid core conductors
- Mono-Filament design
- 26 AWG drain wire
- 28.0pF/ft capacitance
- 0.055uH/ft inductance
- Tonearm cables are available with straight din, RCA, or XLR connectors. Standard model numbers reflect a straight din to RCA.

Add \$50.00 retail for 90 degree din connector
Add \$210.00 retail for additional ½ meter

Valhalla 2 Tonearm Cable

Reference Series



Model	Length	Retail
2VH1.25MTA	1.25m	\$4,799.99
2VH1.75MTA	1.75m	\$5,399.99
2VH2.25MTA	2.25m	\$5,999.99
2VH2.75MTA	2.75m	\$6,599.99
2VH3.25MTA	3.25m	\$7,199.99

- Fully manufactured and terminated in the USA
- 4 x 22 AWG silver plated 99.999999% OFC solid core conductors
- Dual Mono-Filament design
- 24 AWG silver plated stranded drain wire
- 17.0pF/ft capacitance
- 1.38 Dielectric constant
- Tonearm cables are available with straight Holo:Plug din, Holo:Plug RCA, or Holo:Plug XLR connectors. Standard model numbers reflect a straight Holo:Plug din to Holo:Plug RCA.

Add \$100.00 retail for 90 degree Holo:Plug din connector
Add \$600.00 retail for additional ½ meter

White Lightning Speaker Cable

Leif Series



Model	Length	Retail
WL1MB	1m	\$324.99
WL2MB	2m	\$376.99
WL2.5MB	2.5m	\$402.99
WL3MB	3m	\$428.99
WL4MB	4m	\$480.99
WL5MB	5m	\$532.99
WL6MB	6m	\$584.99
WL7MB	7m	\$636.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 10 silver plated 99.9999 OFC solid core 24 gauge conductors
- FEP Insulation
- 8.7pF/ft capacitance
- 0.18uH/ft inductance
- Banana or spade termination

Add \$10.00 retail ea. for Large Spades (8.5mm)

Add \$10.00 retail ea. for Small Spades (5mm)

Add \$52.00 retail per additional 1 meter pair

Purple Flare Speaker Cable

Leif Series



Model	Length	Retail
PF1MB	1m	\$439.99
PF2MB	2m	\$517.99
PF2.5MB	2.5m	\$556.99
PF3MB	3m	\$595.99
PF4MB	4m	\$673.99
PF5MB	5m	\$751.99
PF6MB	6m	\$829.99
PF7MB	7m	\$907.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 14 silver plated 99.9999 OFC solid core 24 gauge conductors
- FEP Insulation
- 9.25pF/ft capacitance
- 0.17uH/ft inductance
- Banana or spade termination

Add \$10.00 retail ea. for Large Spades (8.5mm)

Add \$10.00 retail ea. for Small Spades (5mm)

Add \$78.00 retail per additional 1 meter pair

Blue Heaven Speaker Cable

Leif Series



Model	Length	Retail
LSBH1MB	1m	\$524.99
LSBH2MB	2m	\$734.99
LSBH2.5MB	2.5m	\$839.99
LSBH3MB	3m	\$944.99
LSBH4MB	4m	\$1,154.99
LSBH5MB	5m	\$1,364.99
LSBH6MB	6m	\$1,574.99
LSBH7MB	7m	\$1,784.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 16 silver plated 99.9999 OFC solid core 24 gauge conductors
- FEP Insulation
- 9.6pF/ft capacitance
- 0.16uH/ft inductance
- Banana or spade termination

Add \$10.00 retail ea. for Large Spades (8.5mm)

Add \$10.00 retail ea. for Small Spades (5mm)

Add \$210.00 retail per additional 1 meter pair

Red Dawn Speaker Cable

Leif Series



Model	Length	Retail
LSRD1MB	1m	\$779.99
LSRD2MB	2m	\$1,039.99
LSRD2.5MB	2.5m	\$1,169.99
LSRD3MB	3m	\$1,299.99
LSRD4MB	4m	\$1,559.99
LSRD5MB	5m	\$1,819.99
LSRD6MB	6m	\$2,079.99
LSRD7MB	7m	\$2,339.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 20 silver plated 99.9999 OFC solid core 24 gauge conductors
- FEP Insulation
- 10.0pF/ft capacitance
- 0.155uH/ft inductance
- Banana or spade termination

Add \$10.00 retail ea. for Large Spades (8.5mm)

Add \$10.00 retail ea. for Small Spades (5mm)

Add \$260.00 retail per additional 1 meter pair

Heimdall 2 Speaker Cable

Norse 2



Model	Length	Retail
2HE1MB	1m	\$1,449.99
2HE2MB	2m	\$1,869.99
2HE2.5MB	2.5m	\$2,079.99
2HE3MB	3m	\$2,289.99
2HE4MB	4m	\$2,709.99
2HE5MB	5m	\$3,129.99
2HE6MB	6m	\$3,549.99
2HE7MB	7m	\$3,969.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 18 x 22AWG silver plated 99.99999 OFC solid core conductors
- Mono-Filament design
- 9.8pF/ft capacitance
- 0.14uH/ft inductance
- Banana or spade termination

Add \$10.00 retail ea. for Large Spades (8.5mm)

Add \$10.00 retail ea. for Small Spades (5mm)

Add \$420.00 retail per additional 1 meter pair

Frey 2 Speaker Cable

Norse 2



Model	Length	Retail
2FR1MB	1m	\$2,399.99
2FR2MB	2m	\$2,924.99
2FR2.5MB	2.5m	\$3,187.50
2FR3MB	3m	\$3,449.99
2FR4MB	4m	\$3,974.99
2FR5MB	5m	\$4,499.99
2FR6MB	6m	\$5,024.99
2FR7MB	7m	\$5,549.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 22 x 22AWG silver plated 99.99999 OFC solid core conductors
- Mono-Filament design
- 10.3pF/ft capacitance
- 0.135uH/ft inductance
- Banana or spade termination

Add \$10.00 retail ea. for Large Spades (8.5mm)

Add \$10.00 retail ea. for Small Spades (5mm)

Add \$525.00 retail per additional 1 meter pair

Tyr 2 Speaker Cable

Norse 2



Model	Length	Retail
2TY1MB	1m	\$4,799.99
2TY2MB	2m	\$6,249.99
2TY2.5MB	2.5m	\$6,974.99
2TY3MB	3m	\$7,699.99
2TY4MB	4m	\$9,149.99
2TY5MB	5m	\$10,599.99
2TY6MB	6m	\$12,049.99
2TY7MB	7m	\$13,499.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 26 x 22AWG silver plated 99.99999 OFC solid core conductors
- Mono-Filament design
- 10.7pF/ft capacitance
- 0.13uH/ft inductance
- Banana or spade termination

Add \$10.00 retail ea. for Large Spades (8.5mm)
Add \$1450.00 retail per additional 1 meter pair

Valhalla 2 Speaker Cable

Reference Series



Model	Length	Retail
2VH1.25MS	1.25m	\$9,599.99
2VH2MS	2m	\$11,849.99
2VH2.5MS	2.5m	\$13,349.99
2VH3MS	3m	\$14,849.99
2VH3.5MS	3.5m	\$16,349.99
2VH4MS	4m	\$17,849.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration only
- 28 x 22AWG silver plated 99.999999% OFC solid core conductors
- Dual Mono-Filament design
- 10.9pF/ft capacitance
- 0.125uH/ft inductance
- Holo:Plug spade or Nordost Z-type banana termination

Add \$1,500.00 retail per additional ½ meter pair

Odin Speaker Cable

Supreme Reference



Model	Length	Retail
OD1MB/BW	1m	\$19,999.99
OD1.5MB/BW	1.5m	\$22,999.99
OD2MB/BW	2m	\$25,999.99
OD2.5MB/BW	2.5m	\$28,999.99
OD3MB/BW	3m	\$31,999.99
OD3.5MB/BW	3.5m	\$34,999.99
OD4MB/BW	4m	\$37,999.99

- Comes as a PAIR of cables
- Fully manufactured and terminated in the USA
- Shotgun configuration, Bi-Wire, or Bi-amp
- 24 x 20AWG silver plated 99.999999 OFC solid core conductors
- Rhodium plated beryllium copper Banana or rhodium plated Furutech spade termination
- Dual Mono-Filament design
- 9.2pF/ft capacitance
- 0.15uH/ft inductance

Add \$3000.00 retail per additional ½ meter pair

Norse Bi-wire Jumpers

Norse 2



Model	Length	Retail
BW7JUMP/SB	7"	\$159.99
BW14JUMP/SB	14"	\$319.99
BW21JUMP/SB	21"	\$479.99

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- Micro-Monofilament technology
- Standard configuration is spade to banana but banana to banana and spade to spade is available
- Dramatically improves speaker performance when replacing the metal strips provided by most speaker companies.

Add \$10.00 retail ea. for Large Spades (8.5mm)

Reference Bi-wire Jumpers

Reference Series



Model	Length	Retail
REF7JUMP/SB	7"	\$599.99
REF14JUMP/SB	14"	\$1,199.99
REF21JUMP/SB	21"	\$1,799.99

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- Dual Mono-Filament technology
- TSC shielded conductor
- Standard configuration is spade to banana but banana to banana and spade to spade is available
- Dramatically improves speaker performance when replacing the metal strips provided by most speaker companies.

Add \$10.00 retail ea. for Large Spades (8.5mm)

Valhalla 2 Bi-wire Jumpers

Reference Series



Model	Length	Retail
V2J1SS	13.5"	\$2,499.99
V2J2SS	27"	\$3,299.99

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- 14 x 22AWG silver plated 99.999999% OFC solid core conductors
- Dual Mono-Filament design
- 10.9pF/ft capacitance
- 0.125uH/ft inductance
- Holo:Plug spade or Nordost Z-type banana termination

Odin Bi-wire Jumpers

Supreme Reference



Model	Length	Retail
ODJMP20INB	20"	\$9,999.99

- Fully manufactured and terminated in the USA
- Set of 4 Jumpers
- 12 x 20AWG silver plated 99.999999 OFC solid core conductors
- Dual Mono-Filament design
- 9.2pF/ft capacitance
- 0.15uH/ft inductance
- Rhodium plated beryllium copper Banana or rhodium plated Furutech spade termination

Sort Füt

Sort Systems



Model	Retail
SF1	\$350.00
SF1-4PK Premium Package	\$1500.00
SK1-4PK Sort Kup Floor Protectors	\$299.99
SL1 - 4PK Sort Lock	\$179.99

- Manufactured in the USA
- Replaces the feet and spikes provided with loudspeakers and equipment racks
- Provides a direct mechanical ground path for unwanted energy
- Aluminum and Bronze hybrid construction
- Finial dome to minimize vibration
- 3 Ceramic balls (ZrO2) to minimize contact surface area while providing physical stability to components

The Premium Package Includes:

- 4 Sort Füt units
- Adjustment tool to customize your Sort system to your components
- Laser Leveling System for precise installation
- 8mm, 6mm, and 1/4-20 threaded adapters

Individual Units Include 8mm, 6mm, and 1/4-20 threaded adapters

Sort Kup protects sensitive floors from scratches and dents.
Sort Lock prevents the Sort Füt from loosening over time.

Sort Kones

Sort Systems



Model	Retail
SK/AS	\$69.99
SK/AC	\$84.99
SK/BC	\$149.99
SK/TC	\$369.99

- Fully manufactured in the USA
- Resonance control devices
- Sold in single units

AS – Aluminum construction with a steel ball bearing
AC – Aluminum construction with a ceramic ball bearing
BC – Bronze construction with a ceramic ball bearing
TC – Titanium construction with a ceramic ball bearing

Sort Füt Threaded Adapters

Sort Systems



Thread Size	Model	Color Code	Retail
1/4-20 (SAE)	2013004-04	Black	\$6.00
6mm x 1 (Metric)	2013004-03	Blue	\$6.00
8mm x 1.25 (Metric)	2013004-02	Red	\$6.00
6-32 (SAE)	2013004-12	-	\$6.00
8-32 (SAE)	2013004-13	Orange	\$6.00
10-32 (SAE)	2013004-07	Brown	\$6.00
5/16-18 (SAE)	2013004-10	-	\$6.00
3/8-16 (SAE)	2013004-05	Yellow	\$6.00
3/8-24 (SAE)	2013004-08	-	\$6.00
1/2-13 (SAE)	2013004-06	-	\$6.00
5mm x 0.8 (Metric)	2013004-14	-	\$6.00
10mm x 1.5 (Metric)	2013004-01	Green	\$6.00
12mm x 1.5 (Metric)	2013004-09	-	\$6.00
12mm x 1.25 (Metric)	2013004-17	-	\$6.00
14mm x 2 (Metric)	2013004-11	-	\$6.00
14mm x 1.5 (Metric)	2013004-15	-	\$6.00
24mm x 1.5 (Metric)	2013004-16	-	\$16.00

Available sizes for Sort Füt threaded adapters (used to attach the Sort Füt units to speakers and racks)

1/4-20 (Imperial), 6mmx1 (Metric), and 8mmx1.25 (Metric) threaded adapters come included with each Sort Füt.

The Sort Füt is adjustable up to 9/16in (14mm). If more height is required, we offer replacement threaded adjusting studs for \$6.00 retail.

Sort Lift

Sort Systems



Model	Retail
SLIFT-2PK	\$599.99

- Manufactured in the USA
- Raises cables off the ground using minimal points of contact with the cable
- Proprietary Floating Spring System uses titanium alloy and FEP coating
- Anodized aluminum base
- Reduces boundary effects and electrical interference
- Inhibits transference of electrical charge and rids the dielectric of static build-up
- Elevates sound stage, improves dynamic range, and increases detail in low frequency reproductions

Comes in packs of 2

2 Flat Bulk Speaker Cable

Leifstyle



Model	Retail
2FL	\$15.50 /Meter

- Made in the USA
- Two rectangular, solid OFC conductors held in a white extruded FEP jacket.
- 7.0pF/ft capacitance
- 0.17uH/ft inductance
- 18 AWG

4 Flat Bulk Speaker Cable

Leifstyle



Model	Retail
4FL	\$31.00 /Meter

- Made in the USA
- Four rectangular, solid OFC conductors held in a white extruded FEP jacket.
- 8.0pF/ft capacitance
- 0.14uH/ft inductance
- 15 AWG when in shotgun configuration

14-2 Bulk Speaker Cable

Leifstyle



Model	Retail
14/2	\$13.99 /Meter

- Made in the USA
- Extruded Premium PVC Insulation
- 41 Strand 2 x14 AWG
- 99.9999% OFC
- Propagation Delay: 85% speed of light
- RoHS Compliant
- UL CL3 certified

Cinema Processor Cable



Model	Length	Retail
NDS2M	2m	\$1,499.99
NDS3M	3m	\$2,124.99

DB25 to (8x) XLR 2 Meter

- Fluorinated Ethylene Propylene (FEP) insulation
- Micro Mono-Filament, twisted pair design
- 2 x 26 AWG
- 7/33 Strands of silver-plated 99.99999% OFC
- 16.0pF/ft capacitance
- 100% Braid Foil Shielding
- Velocity of Propagation: 88%
- Die-cast Male or Female DB25 w/ gold-plated contacts to gold-plated Neutrik Male or Female XLR termination

Set-up and Tuning CD



Model	Retail
MIS-TESTCD	\$29.99

- All the tracks necessary to set your system for maximum performance
- Works in conjunction with a downloadable PDF from www.nordost.com
- Contains LEDR (listening environment diagnostic recordings) tracks for ideal speaker placement
- Contains channel checks, phase checks, system degaussing, test tones, frequency sweeps, and even system burn in tracks.

Eco 3x



Model	Retail
Eco3X	\$39.99

- Anti-static spray and static inhibitor
- 4 oz (120 ml) spray bottle
- Removes the static charge from cable dielectrics and helps reduce future build-up
- Static charge build up on cables can interfere with the signal and create background noise in your system.
- Glass bottle with retail packaging

Nordost Tote Bag



Description	Cost
Red fabric tote w/Nordost logo	\$19.99

NORDOST
MAKING THE CONNECTION


Nordost Shirts



Description	Sizes	Retail
Nordost Polo Short Sleeve (Black)	S,M,L,XL,XXL	\$49.99
Nordost Button-Down Long Sleeve (Grey)	S,M,L,XL	\$59.99
V2 T-Shirt Short Sleeve (Black)	S,M,L,XL,XXL	\$25.00
V2 Pull-Over Long Sleeve (Black)	S,M,L,XL,XXL	\$65.00

While Supplies Last

HDMI Book



Description	Cost
DPL Labs - HDMI uncensored soft cover book.	\$39.95
DPL Labs - HDMI uncensored hard cover book.	\$59.95

NORDOST
MAKING THE CONNECTION

